0.2. 0050/51193

## BASF Aktiengesellschaft

08 February 2001 NAE19991202US IB/AR/els

We claim:

- A dividing walk column divided in the middle region into a feed section and an offtake section by a dividing wall and having as segments
  - a) an upper column region,
  - b) an enrichment section of the feed section,
  - c) a stripping section of the feed section,
  - d) an upper part of the offtake section,
  - e) a lower part of the offtake section,
  - f) an intermediate region of the feed section,
  - g) an intermediate region of the offtake section and
  - h) a lower column region,

where the dividing wall is located vertically between the segments b) and d and between the segments c) and e), the segments b), d), c) and e) have separation-active internals and the cross-sectional area  $A_b$  of the segment b)) is at least 10% smaller than the cross-sectional area  $A_c$  of the segment c) is at least 10% greater than the cross-sectional area  $A_c$  of the segment c) is at least 10% greater than the cross-sectional area  $A_c$  of segment e).

09782305.021401

- 2. A dividing wall column as claimed in claim 1, wherein the cross-sectional area  $A_b$  of the segment b) is at least 40%, preferably at least 60%, smaller than the cross-sectional area  $A_d$  of segment d).
- 3. A dividing wall column as claimed in claim 1, wherein the cross-sectional area  $A_{\rm c}$  of the segment c) is at least 40%, preferably at least 60%, greater than the cross-sectional area of segment e).
- 4. A dividing wall column as claimed in claim 1, wherein the dividing wall is arranged obliquely between the segments f) and g) and forms an angle of from 25 to 75°, preferably from 55 to 65°, to the horizontal.
- 5. A dividing wall column as claimed in claim 1, wherein the operating pressure P is in the range from 0.0005 to 10 bar and the calculated ratios of the cross-sectional areas  $A'_b/A'_d$  and  $A'_c/A'_e$  are given by the following relationships

$$\frac{\mathbf{A'}_{\mathbf{b}}}{\mathbf{A'}_{\mathbf{d}}} = \left(\frac{\mathbf{m}_{\mathbf{s,b}}}{\mathbf{m}_{\mathbf{s,d}}}\right) \times \left(\frac{\mathbf{m}_{\mathbf{i,b}}}{\mathbf{m}_{\mathbf{i,d}}}\right)^{\mathbf{C}}$$

$$\frac{\mathbf{A'_c}}{\mathbf{A'_e}} = \left(\frac{\mathbf{m_{s,c}}}{\mathbf{m_{s,e}}}\right) \times \left(\frac{\mathbf{m_{i,c}}}{\mathbf{m_{i,e}}}\right)^{C}$$

where  $A_{b}^{\prime}$ ,  $A_{d}^{\prime}$ ,  $A_{c}^{\prime}$ ,  $A_{e}^{\prime}$  are the cross-sectional areas of the segments b,d,c,e provided for the calculation;  $m_{s,b}$ ,  $m_{s,d}$ ,  $m_{s,c}$ ,  $m_{s,e}$  are the volume flows of gas through the segments b,d,c,e, measured in  $m^{3}/h$ ;  $m_{i,b}$ ,  $m_{i,d}$ ,  $m_{i,c}$ ,  $m_{i,e}$  are the volume flows of liquid through the segments b,d,c,e, measured in  $m^{3}/h$ , and the exponent C is obtained as operating-pressure-dependent variable from the empirically determined function shown in Fig. 3, and the calculated ratios  $A_{b}^{\prime}/A_{d}^{\prime}$  and  $A_{c}^{\prime}/A_{e}^{\prime}$  deviate from the corresponding, actual ratios  $A_{b}^{\prime}/A_{d}$  and  $A_{c}^{\prime}/A_{e}$  by not more than 30%, preferably not more than 20%.

- 6. A dividing wall column as claimed in claim 1, wherein the operating pressure is from 0.0005 to 0.02 bar and liquid distributors in which the liquid predistribution occurs by the bank-up principle and the downstream fine liquid distribution occurs by the capillary principle are used.
- A dividing wall column as claimed in claim 1, wherein ordered packing having a cross-channel structure is used as separation-active internals.
- 8. A dividing wall column as claimed in claim 1, wherein ordered packing having a cross-channel structure is used as separation-active internals and the uppermost layer of packing below the liquid distributor is aligned so that the individual layers are aligned parallel to the dividing wall.

9. A process for isolating pure ethylhexyl p-methoxycinnamate by distillation using a dividing wall column as claimed in any of claims 1 to 8, wherein the feed mixture introduced comprises from 70 to 95%, preferably from 75 to 90%, of ethylhexyl p-methoxycinnamate as intermediate-boiling desired product.